

Suncrest Nurseries Inc.

Vines and Climbers

The vines, climbers—call them what you will—are a diverse and interesting group of plants. Their plant families include even non-flowering plants (*Lygodium* and some other ferns) and higher plants as far-flung as the lilies and trumpet vines. Many, like the wisterias, are woody; others are soft perennials. Their habitats range from deserts to rain forests. What unites them all is a strategy of clambering up, through or over their neighbors to reach the sun or otherwise escape competition, while keeping their roots protected and relatively cool. Some simply twine around any available object for support as they grow, while others have special structures such as the tendrils of grapes and adhesive roots of the ivies.

Taking advantage of this growing strategy, gardeners long ago put the vines to work covering fences, arbors, walls and even the trunks of trees. The fact that surprisingly many of them have lush, beautiful foliage and attractive—even spectacular—flowers has made them all the more useful.

Vines and Climbers at Suncrest

The Suncrest collection of vines and climbers developed almost accidentally for several years. We would be impressed by a particular plant, or a friend would insist that we try it, and it would take its place in our regular offerings. The process became much more deliberate when Patrick Worley, a world-renowned hybridizer of passion flowers and other diverse plant groups, joined our staff. Now we feature his growing line of introductions (most recently, such things as *Passiflora* 'Purple Tiger' and 'Witchcraft') and tap his expertise in our wanderings among lesser-known genera. We think you'll be pleased by the results.

Culture

It should not be surprising that plants with origins and features so diverse cannot be assigned a one-size-fits-all cultural recipe. Some vines, including many species of *Clematis*, are quite cold-hardy, though a far greater number hail from the tropics and subtropics (even some of these have been found, usually by accident, to be far hardier than we might expect). Watsonville is not San Diego, and we have tried to minimize our offering of genuinely tender plants. Most of those in the following list will thrive in either sun or light shade near the coast, while many are more attractive when given part shade in the hotter interior. Shading of the roots to lower soil temperatures is often beneficial (this service may be provided by stems and leaves of the plants themselves). Many have broad soil tolerances, though some resent alkaline or poorly drained soil. Moderate watering is sufficient for most, though a few of the more rampant growers demand constant moisture, while a few, like our chaparral native *Clematis lasiantha*, are genuinely drought-tolerant. Overall, this is a group with few serious cultural problems beyond a need for some restraint, perfect plants for the "purple thumb" gardener. Cultural details, where they can be generalized, are given for each genus below.

Name	Family	Culture/Description
ADENOCALYMMA comosum var. nitida	Bignoniaceae	Sun or light shade, Well-drained soil, Moderate watering, Hardy to 20-25 deg.F. Glossy green leaves; light yellow trumpet fls. in summer.
AKEBIA quinata 'Alba' quinata 'Rosea'	Lardizabalaceae	Sun or light shade, Most soils, Keep moist, Hardy to 10 deg.F or less Semi-evergreen vine. 5-parted leaves, fragrant white flowers in spring. Semi-evergreen vine with fragrant rose-pink, pendant fls. spring.
AMPELOPSIS brevipedunculata megalophylla	Vitaceae	Sun or light shade, Most soils, Moderate watering, Hardy to 10 deg.F or less Vigorous, with dark deeply lobed lvs, berries sea-green to blue to purple. Vigorous vine, grape relative. Rose red berries ripen black.
ARISTOLOCHIA californica—staked elegans—staked grandiflora—staked macroura—staked	Aristolochiaceae	Sun/shade, Most soils, Moderate watering, Hardy to 10 deg.F or less Dutchman's pipe. Odd brownish "pipe" fls. spring-summer. Cool sun/shade. Heart shaped leaves; creamy flowers with purple markings in summer. Vigorous tender vine with very large creamy fls. with purple markings. Shiny lvs; upright chocolate brown flowers with long tail. Frost protect.
ASARINA antirrhiniflora var. coccinea—staked barclaiana—staked species purplish rose—staked	Scrophulariaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F Delicate vine to 5'. Deep reddish pink "snapdragon" fls, summer. Dense, slender-stemmed vine. Rich purple "snapdragon" flowers, summer. Lt. green, furry lvs. Shiny tubular deep purplish rose fls, spring-summer.
BERBERIDOPSIS corallina—staked	Flacourtiaceae	Sun/shade, Light acid soil, Moderate watering, Hardy to 15-20 deg.F Shrub/vine with satiny toothed lvs; crimson fls in clusters. Evergreen.

Suncrest Nurseries Inc.

BIGNONIA	Bignoniaceae	Sun or light shade, Well-drained soil, Moderate watering, Hardy to 0 deg.F or less
capreolata ‘Tangerine Beauty’		Lush, hardy, evergreen vine with glossy green lvs; orange trumpet fls.
BILLARDIERA	Pittosporaceae	Sun or light shade, Well-drained soil, Moderate watering, Hardy to 15-20 deg.F.
longiflora—staked		Light vine with narrow lvs. Greenish-yellow fls. Showy fat blue berries.
BOMAREA	Liliaceae	Light shade, Well-drained soil, Moderate watering, Hardy to 20-25 deg
frondea—staked		Vining Alstroemeria ally for shade; clusters of red & yellow tubular fls.
sp.—red—staked		Vining Alstroemeria ally; clusters of bright red tubular fls. summer-fall.
CLEMATIS	Ranunculaceae	Sun/shade, Well-drained soil, Moderate watering, Hardy to 0 deg.F or less
alpina ‘Blue Dancer’		Dainty, nodding, 2-3" light blue fls. in spring. Prune after bloom.
alpina ‘Constance’		Nodding, semi-double purplish pink fls. in spring. Prune after bloom.
armandii		Evergreen clematis. Firm shiny lvs; masses of fragrant white fls, spring.
armandii ‘Hendersonii Rubra’		Evergreen clematis; masses of fragrant, light pink fls, early spring.
armandii ‘Snowdrift’		Evergreen clematis. Shiny, firm lvs; masses of white fls, spring.
‘Asao’		Compact form. Deep pink 6" fls. in early and late summer.
‘Ascotiensis’		Large lavender blue fls. midsummer to fall. Prune low, late winter.
‘Barbara Jackman’		5" mauve fls. with dark bar. Blooms late spring, late summer.
‘Belle of Woking’		Double 4" light blue flowers; bloom early to late summer.
chiisanensis ‘Lemon Bells’ COPF		Korean sp., nodding 2" yellow fls. on black stems, late spring.
chrysocoma—pink fl.		Attractive gold hairs on lvs; profuse pink flowers in spring.
chrysocoma v.sericea (C. spooneri)		Fine gold hairs on new leaves; masses of white fls. in spring. Vigorous.
‘Comtesse de Bouchaud’		Bright mauve pink 4-5" flowers midsummer to fall. Prune low, late winter.
‘Duchess of Edinburgh’		Double white 4" flowers bloom early summer to early fall. Good cut fls.
‘Edouard Desfosse’		Compact hybrid. Pale blue fls. with a faint bar. Late spring-summer blm.
‘Ernest Markham’		Classic variety. Magenta 4-5" fls, midsummer-fall. Prune low, late winter.
‘General Sikorski’		Strong, free flowering variety. Large blue purple fls. midsummer-fall.
‘Gillian Blades’		Free flowering. White fls with wavy edges can be 6" across. May-August blm.
‘Gipsy Queen’		Velvety red-purple 4-6" flowers appear from early summer to early fall.
‘H. F. Young’		Compact. 5-6" lavender blue fls., late spring, late summer. Good in pots.
‘Henry’		6-8" white fls. with dark anthers. Fls. midsummer to mid-fall.
‘Huldine’		Many 3" cupped fls summer-fall. White centers, red bar on petal back.
x jackmanii		Many 4" dark velvet purple fls, midsummer to fall. Prune low, late winter.
‘John Warren’		Red violet bar, edges on 8"+ lt. pink fls. Blooms spring, late summer.
‘Josephine’		Mauve pink fls are fully double, aging to “pompoms”. Blm late spring-fall.
‘Ken Donson’		Deep blue 7" fls. in late spring and late summer. Nice seedheads.
lasiantha		Chaparral clematis. Lacy lvs; clustered white fls, showy fluffy seed heads.
‘Liberation’		Large starry fls. are deep pink w/cerise bar. Blm late spring, late summer.
ligusticifolia		Virgin’s bower. White, lightly fragrant fls. in summer.
macropetala hybrids		Graceful spring bell fls. nodding, violet, pink, or white. Prune after blm.
‘Madame Baron Veillard’		Rose lilac 4-5" fls. freely produced in fall. Prune low, late winter.
‘Madame Edouard Andre’		4" dusky mauve red fls. in mid to late summer. Compact form.
‘Marie Boisselot’		Classic variety. Large white fls., early summer to fall.
‘Masquerade’		7" lavender fls. w/mauve bar. Late spring, late summer bloom.
‘Miss Bateman’		Compact form. 5-6" white fls. late spring, late summer. Good in container.
montana f. grandiflora		Vigorous. Covered with scented white fls. in spring. Deciduous.
montana ‘Tetrarose’		Purple-tinged new lvs; masses of lg. rose pink fls. in spring.
‘Mrs. Cholmondeley’		Classic variety. 7" lavender blue fls. late spring to fall.
‘Mrs. N. Thompson’		Compact form. 5-6" blue purple fls. w/rose bar. Late spring, summer blm.
‘Multi Blue’		Lg. dark lavender blue fls. w/central doubled tuft, early summer-fall.
‘Nelly Moser’		Old favorite, 6" mauve w/dark bar fls. Late spring, late summer bloom.
‘Niobe’		Deep purplish red 6" fls. Blooms late spring to early fall.
‘Perle d’Azur’		Free flowering. Cupped, semi-nodding lt. blue 4" fls. early summer-fall.
‘Pink Champagne’		Compact form. Many purplish pink 6" fls. late spring, late summer.
pitcheri		Dainty nodding urn-shaped, firm textured purple or blue bells, summer.
‘Proteus’		Single, semi- and double soft mauve fls. early-late summer. Best in shade.

Suncrest Nurseries Inc.

'Ramona'		Old favorite. 6" pale blue fls., red stamens. Early summer-fall bloom.
'Rhapsody'		Compact form. 4-5" blue fls. darken with age. Early summer to fall bloom.
'Sugar Candy'		6" mauve fls. w/darker bar. Late spring to fall bloom. Vigorous.
'Sunset'		6" bright red-violet fls. from late spring to fall. Free flowering.
tangutica		Dense, fast growth. Waxy yellow bells, summer; fluffy seeds in fall.
texensis		Scarlet clematis. Pendant coral red urns in summer, fluffy seed heads.
'The President'		Classic variety. Large purple fls. from late spring to fall. Compact form.
'Ville de Lyon'		Classic variety. Crimson 4" fls. with paler center. Early summer-fall blm.
viticella 'Etoile Violette'		Many 3" violet fls. midsummer to fall. Prune low, late winter.
viticella 'Kermesina'		Masses of 2" rich deep red fls. midsummer to fall. Prune low, late winter.
viticella 'Madame Julia Correvon'		Masses of 2" vibrant dark red fls., midsummer to fall. Prune low/winter.
viticella 'Minuet'		Many 2-3" soft red violet and white fls. midsummer -fall. Prune low/winter.
viticella 'Polish Spirit'		Vigorous. 2" rich purple blue fls. midsummer to fall. Prune low, winter.
viticella 'Purpurea Plena Elegans'		Many dbl. violet purple nodding fls, midsummer to fall. Good cut fl.
viticella 'Venosa Violacea'		3" fls. are blue purple with muted white center, midsummer to fall.
'Warsaw Nike'		Lg. velvety red-purple fls. best w/light backgrnd. Early summer-fall bloom.
'Will Goodwin'		6" lavender blue fls. with wavy margins, summer and fall.
DECUMARIA	Hydrangeaceae	Sun/shade, Most soils, Moderate watering, Hardy to 0 deg.F or less
barbara 'Barbara Ann'		Clinging hydrangea rel. Wide shiny lvs; white fluffy fls,summer. Deciduous.
DISTICTIS	Bignoniaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F
buccinatoria		Trumpet vine. Vigorous, heavy vine. Masses of red-orange trumpet flowers.
'Rivers'		Evergreen, large shiny lvs; lavender trumpet fls. spring-summer.
DREGEA (WATTAKAKA)	Asclepiadaceae	Sun or light shade, Most soils, Moderate watering, Hardy to 20-25 deg.F.
sinensis		Soft cream-varieg. lvs;heads of pink/white fragrant fls, summer. Deciduous.
FICUS	Moraceae	Sun/shade, Most soils, Moderate watering, Hardy to 15-20 deg.F
pumila (repens)—staked		Creeping fig. Heart shaped lvs. enlarge with maturity.Clings to structures.
HARDENBERGIA	Fabaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F
violacea 'Blushing Princess'		Evergreen, w/firm green lvs; light pink fls. in spikes winter/spring.
violacea 'Canoelands'		Narrow leaves are evergreen; spikes of vivid purple pea fls. winter/spring.
violacea 'Happy Wanderer'		Masses of vivid blue-purple pea fls. winter-spring. Dark green lvs; robust.
violacea 'Icicle'		White fls. in winter; less vining in habit than other selections.
HUMULUS	Cannabidaceae	Sun/shade, Most soils, Moderate watering, Hardy to 0 deg.F or less
lupulus 'Aureus'—staked		Golden hops. Pale yellow leaves all season. Dies to the ground in winter.
HYDRANGEA	Hydrangeaceae	Sun/shade, Most soils, Moderate watering, Hardy to 0 deg.F or less
anomala ssp. petiolaris		Climbing hydrangea. White lacecap fls, summer. Shiny lvs; deciduous.
IPOMOEA	Convolvulaceae	Full sun, Most soils, Moderate watering, Hardy to 20-25 deg.F
acuminata		Blue dawn flower. Dark green lvs, large dark blue morning glory fls.
acuminata 'Rosy Star'		SCN sel. Blue dawn fl. Pale lavender blue flowers with rosy star. Long blm.
JASMINUM	Oleaceae	Light shade, Well-drained soil, Moderate watering, Hardy to 20-25 deg.F
azoricum		Vining shrub. Dark green leaves; white fragrant flowers in summer.
grandiflorum		More open growth. White fragrant fls. in summer have carrying scent.
officinale		Poet's jasmine. Fragrant white fls. in summer. Delicate lvs. Hardy, decid.
polyanthum		Fast, evergreen. Rose buds open to very fragrant white fls. early spring.
x stephanense		Yellow new lvs. attractive; light pink fls. in early summer.
KADSURA	Schisandraceae	Sun or light shade, Most soils, Moderate watering, Hardy to 0 deg.F or less
japonica		Dark evergreen lvs; fragrant cream fls., clusters of red berries. Hardy.

Suncrest Nurseries Inc.

KENNEDIA coccinea—staked nigricans—staked prostrata	Fabaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F Carpeting pea-vine. Hot red and pink flowers with yellow markings. Evergrn. Lush, large leaves; curious yellow and black-violet fls. in spring-summer. Grow as vine or trailer. Lush leaves; bright scarlet pea flowers.
LONICERA 'Dropmore Scarlet' etrusca hildebrandiana hispidula var. vacillans japonica 'Halliana'—staked japonica 'Purpurea'—staked sempervirens 'Leo'	Caprifoliaceae	Sun/shade, Most soils, Moderate watering, Hardy to 0 deg.F or less Scarlet trumpet honeysuckle. Firm lvs; bright red unscented fls. Long blm. Dark grn leaves; soft yellow fragrant fls, spring-summer. Can take drought. Burmese honeysuckle; large shiny leaves, fragrant white to gold fls. Native vine; blue green hairy lvs; pink fls., showy coral berries, fall. Japanese honeysuckle. Familiar, vigorous. White/yellow fragrant fls. Japanese honeysuckle. Purplish leaves; lilac/white scented flowers. Trumpet honeysuckle. Coral red flowers; lvs. evergreen in mild areas.
MANDEVILLA laxa laxa 'White Star'	Apocynaceae	Sun/shade, Well-drained soil, Moderate watering, Hardy to 15-20 deg.F Chilean jasmine. Fragrant white trumpet fls, summer. Heat tolerant, decid. SCN. Floriferous selection of Chilean jasm. Fragrant white fls. in summer.
PANDOREA jasminoides 'Alba' jasminoides 'Rosea Superba' jasminoides 'Variegata' pandorana pandorana 'Golden Showers'	Bignoniaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F Bower vine. Dark shiny lvs; clusters of white trumpets spring-fall. Bower vine. Shiny green lvs; large pink trumpets have dark centers. Fast. Lush cream-margined leaves; pink trumpet flowers. Wonga wonga vine. Glossy evergreen lvs; masses of cream fls, spring. Glossy evergreen lvs; reddish buds open to yellow fls, spring. Profuse blm.
PARTHENOISSUS henryana 'Green Velvet' henryana—white-veined quinquefolia quinquefolia 'Purple Falls' tricuspidata 'Veitchii'	Vitaceae	Sun/shade, Most soils, Moderate watering, Hardy to 10 deg.F or less Velvety deep grn lvs have silver markings in shade; red fall color. Clings. Prominent silver veins on deep green lvs, shade; red fall color. Clings. Virginia creeper. Vigorous, clinging vine. Fall lvs scarlet, black fruits. SCN selection. Large divided lvs turn plum purple in fall. Clings. Boston ivy. Clinging vine w/new lvs purplish. Orange to red fall color.
PASSIFLORA alata 'Ruby Glow' 'Blue Horizon' TM citrina 'Coral Glow' 'Donna Brigham' TM edulis 'Black Knight' edulis 'Frederick' 'Elizabeth' 'Eynsford Gem' 'Gloria Moreno' TM 'Indigo Dreams' 'Lavender Lady' manicata 'Linda Escobar' membranacea mixta 'Galupa' 'Purple Tiger' 'Quasar' TM sanguinolenta 'Maria Rosa' 'Susan Brigham' 'Witchcraft' TM	Passifloraceae	Sun/shade, Most soils, Moderate watering, Tender/protect Tender species with large fragrant fls. Maroon petals, violet filaments. White petals with a purple-blue corona on this showy P. Worley hybrid. Moderate in growth. 2-lobed lvs; bell-like yellow fls, summer-fall. Huge deep coral flowers for long bloom season. Vigorous in growth. Textured dark green lvs; bright pink fls, vivid blue filaments. P. Worley. Passionfruit. 2" white fls. mature to lg, black fruits w/excellent flavor. Passionfruit. Intricate white fls; large lavender purple edible fruits. Vigorous. Lg. shiny lvs; huge purple fls, many filaments. P. Worley hyb. Compact, to 6'. Mauve pink flowers with intricate purple/white/green ctrs. Vigorous. Shiny lvs; long tubed bright pink fls. summer-fall. P. Worley hyb. White petals; long red-purple filaments. Striking combination. P. Worley. Dark lvs; many purple fls produced all year, esp. spring, fall. P. Worley. P. Worley selection has lush green lvs; brilliant red flowers. Oval leaves; green-white flowers set in red-purple bracts. Vigorous. Shiny leaves; long tubed, dark pink flowers. Very large fragrant fls; red petals, violet banded filaments. P. Worley hyb. Pure white petals and filaments age to bright orange fruits. P. Worley hyb. Dense, moderate growth. Wing-like lvs; flared coral pink flowers. Large deep pink flowers set among lush leaves. Fast. P. Worley hybrid. Small dark lvs; many 3" purple fls, vivid blue filaments. Dense. P. Worley.
PAULLINIA thalictrifolia—staked	Sapindaceae	Light shade, Well-drained soil, Keep moist, Hardy to 25-30 deg.F. Light vine for shade. Fern-like glossy lvs; small cream fls.

Suncrest Nurseries Inc.

POLYGONUM aubertii	Polygonaceae	Full sun, Most soils, Moderate watering, Hardy to 0 deg.F or less Silver lace vine. Fast, with many spikes of creamy white fls, summer.
RHODOCHITON atrosanguineum—staked	Scrophulariaceae	Light shade, Well-drained soil, Moderate watering, Hardy to 20-25 deg.F. Delicate vine for shade. Deep purple bell fls, mauve calyx. Frost protect.
ROSA banksiae ‘Alba Plena’—staked banksiae ‘Lutea’—staked polyantha ‘Climbing Cecile Brunner’	Rosaceae	Full sun, Well-drained soil, Moderate watering, Hardy to 10 deg.F or less White Lady Banks’ rose. Masses of double white fragrant fls. in spring. Yellow Lady Banks’ rose. Sheets of double yellow fls. in spring. Climbing shrub. Many fragrant soft pink buds and flowers.
SCHISANDRA chinensis—staked	Schisandraceae	Light shade, Well-drained soil, Moderate watering, Hardy to 0 deg.F or less Vining decid. shrub for shade; small lt. pink fls, showy scarlet berries.
SCHIZOPHRAGMA hydrangeoides ‘Roseum’	Hydrangeaceae	Light shade, Well-drained soil, Moderate watering, Hardy to 0 deg.F or less Clinging decid vine. Pink summer fls. similar to lacecap hydrangea.
SENECIO confusus—staked	Asteraceae	Sun/shade, Well-drained soil, Moderate watering, Hardy to 20-25 deg.F Mexican flame vine. Lush dark grn lvs; 2" vivid orange-red fls. Long blm.
SOLANUM jasminoides—staked	Solanaceae	Sun/shade, Most soils, Moderate watering, Hardy to 15-20 deg.F Potato vine. Dark stems and lvs; clusters of white flowers in all seasons.
SOLLYA parviflora—staked	Pittosporaceae	Sun or light shade, Well-drained soil, Moderate watering, Hardy to 15-20 deg.F. Slender vine, narrow lvs; petite vivid blue bells in spring and summer.
STAUNTONIA hexaphylla—staked	Lardizabalaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F. Vigorous evergreen. Leathery lvs; fragrant white fls. spring, purple fruit.
STIGMAPHYLLON ciliatum—staked	Malpighiaceae	Sun/shade, Most soils, Moderate watering, Hardy to 25-30 deg.F Butterfly vine. Dark green lvs; bright yellow fls. all year. Protect/frost.
THUNBERGIA alata ‘Mary Lou Heard’ ‘Apricot Smoothie’ grandiflora grandiflora ‘Alba’ gregorii ‘Sunlady’	Acanthaceae	Sun/shade, Most soils, Moderate watering, Hardy to 20-25 deg.F Black-eyed Susan vine. Orange fls. with dark eye. Long bloom. Peach trumpet fls. with dark red centers. Long bloom/protect from frost. Robust vine. Large leaves; blue trumpet flowers summer and fall. Large angular leaves; white trumpet flowers in summer and fall. Spring to fall fls. are vivid orange; fuzzy lvs. are tannish green. Fast. Fuzzy lvs; tubular yellow fls. have dark eye. Protect from hard frost.
TROPAEOLUM tuberosum	Tropaeolaceae	Sun/shade, Most soils, Moderate watering, Hardy to 15 deg.F or less Rounded succulent lvs; bright orange fls. in summer. Decid., edible tubers.
VIGNA caracolla	Fabaceae	Sun or light shade, Most soils, Keep moist, Hardy to 20-25 deg.F. Snail flower. Lush divided lvs; curious coiled lavender fls. spring-fall.
VITIS amurensis californica ‘Walker Ridge’ coignetiae girdiana vinifera ‘Purpurea’	Vitaceae	Sun/shade, Most soils, Moderate watering, Hardy to 10 deg.F or less Vigorous grape. Large leaves turn all shades of red in fall. Native grape. Shiny lvs. turn orange and red in fall. Dark fruits. Crimson glory vine. Very large leaves; vivid red and purple fall color. Desert wild grape. Large grey-green leaves; small dark fruits. Tenturier grape. New lvs. whitish green; aging to dark purple. Dark fruits.
WISTERIA ‘Cooke’s Special Purple’ floribunda ‘44" Clusters’ floribunda ‘Cascade’	Fabaceae	Full sun, Most soils, drought tolerant, Hardy to 0 deg.F or less Masses of fragrant 10" dark purple fls. in clusters, spring. Japanese wisteria. Long clusters of pale lavender fls, spring. Japanese wist. Long clusters of pinkish mauve fls.

Suncrest Nurseries Inc.

floribunda 'Hon-beni'	Pinkish lavender fls. with yellow blotch in 12-18" long clusters, spring.
floribunda 'Issai'	Japanese wisteria. Shaded lavender flowers in spring.
floribunda 'Kuchibeni'	Pale pink fls. w/darker tips in long clusters, spring.
floribunda 'Kyushaku' ('Macrobotrys')	Masses of 3'+ fl. clusters. Flowers have purple keel, lilac banner.
floribunda 'Lavender Lace'	Japanese wist. Lavender and white fl. clusters to 3' long.
floribunda 'Shiro Noda'	Japanese wist. Very long tresses of white fls, spring.
floribunda 'Snow Showers'	Long clusters of pure white flowers in spring.
floribunda 'Tea Garden Form'	Japanese wisteria. Long tresses of purple and white fls.
floribunda 'Violacea Plena'	Double dk. violet fls. marked with white and yellow; 15" clusters.
frutescens	American wisteria. 6" clusters of lightly fragrant lavender fls. in summer.
frutescens 'Nivea'	American wisteria. 6" clusters of lightly fragrant white flowers, summer.
sinensis 'Amethyst'	Chinese wisteria. Masses of very fragrant mauve-purple fls., spring.
sinensis 'Blue Sapphire'	Chinese wisteria. Lilac blue fragrant fls. in 1' clusters in spring.
sinensis 'Caroline'	Chinese wisteria. Violet fls. marked with yellow and white. Fragrant.
venusta 'Alba'	Silky wisteria. Silvery new lvs; white fls. densely held in fat clusters.